

CERTIFICATE OF PRODUCT CONFORMITY

Dubai Central Laboratory Department (DCLD) of Dubai Municipality
hereby attests that the product(s)

Low Emitting Materials

(Details as per the attached Scope of Certification)

manufactured by:

NAPCO MIDDLE EAST LTD.

P.O. Box 23021, Industrial Area No. 6, Sharjah, UAE

have been assessed in accordance with DCLD Document Ref. No. DM-DCLD-RD-DP21-2001 (IC) "General Rules for DM third party product certification system through factory assessment" and the relevant Specific Rules, and were found in conformity with the standard specification:

2017 AL SA'FAT DUBAI GREEN BUILDING EVALUATION SYSTEM

Accordingly, DCLD hereby authorizes the above manufacturer
to affix the DCL Product Conformity Mark on the above-mentioned product(s).



for / ENGR. AMIN AHMED AMIN
Director, Dubai Central Laboratory Department
Dubai Municipality



Certificate No: CL18020608
Valid Until: 17/07/2022



Current Issue Date: 18/07/2021
Original Issue Date: 18/07/2018



The attached Scope of Certification bearing the same Certificate Number forms an integral part of this Certificate.
This Certificate is an electronic document subject to the Terms and Conditions of the Product Certification System and shall not be reproduced except in full.

**DUBAI CENTRAL LABORATORY DEPARTMENT
DCL PRODUCT CONFORMITY CERTIFICATION SCHEME**

SCOPE OF CERTIFICATION

FOR CERTIFICATE NO. CL18020608

Certificate Issued To	NAPCO MIDDLE EAST LTD. P. O. Box 23021, Industrial Area No. 6, Sharjah, U.A.E.
Applicable Standard Specification:	2017 Al Sa'fat - Dubai Green Building Evaluation System.
Applicable Specific Rules:	DM-DCLD-RD-DP21-2180 (IC) Specific Rules for FA Certification of Low Emitting Materials (Paints, Coating, Adhesives Sealants) as per the 2017 Al Sa'fat - Dubai Green Building Evaluation System.

S/N	PRODUCT DESCRIPTION	BRAND NAME	PRODUCT DETAILS
1	One-pack performance coatings (Sub-category 9)	Hawa 30-36	Water-based Coatings for Interior Application Only VOC (Al Sa'fat-DGBES limit is max.140 g/l)
		Lag Coat 30-6	
		Lag Coat 30-10 AF	
		Napco Total Shield 777	
		Vapour Barrier 30-8	Water-based Coatings for Interior and Exterior Application VOC (Al Sa'fat-DGBES limit is max.140 g/l)
		Vapour Barrier 30-40 AF	
2	Adhesives	Rubber Seal	Specialty Applications (Sheet Applied Rubber Lining Operations) VOC (Al Sa'fat-DGBES limit is Max. 850 g/l)
		Hawa 81-10	
		Duct Bond 80-30	Fiberglass Substrate Applications VOC (Al Sa'fat-DGBES limit is Max. 80 g/l)
3	Sealants	Hawa Duct Acrylic	(Other) VOC (Al Sa'fat-DGBES limit is Max. 420 g/l)
		Duct Seal 32-7	

**DUBAI CENTRAL LABORATORY DEPARTMENT
DCL PRODUCT CONFORMITY CERTIFICATION SCHEME**

**SCOPE OF CERTIFICATION
FOR CERTIFICATE NO. CL18020608**

NOTE 1: This document forms part of the Certificate of Product Conformity bearing the same certificate number.

NOTE 2: The above products shall bear the DCL Conformity Mark.

Original Issue Date : 18 July 2018
Current Issue Date : 18 July 2021
Valid Until : 17 July 2022

ARIF HUSSAIN AL MARZOOQI
Products Conformity Assessment Section Manager
Dubai Central Laboratory Department